

ZINC-MANGANESE




LEAF LIQUID INTEGRATORS

MYR RANGE is based on micronutrients and meso elements complexed with vegetal peptides with the aim of prevent and/or cure nutritional deficiencies and improve yield and fruit quality.

MYR RANGE guarantees the highest efficiency and a quick absorption, without losses due to insolubilization. It is the result of a careful research on the mechanisms of vegetal absorption in order to prevent phenomena of phytotoxicity caused by micronutrients.

The peptides of **MYR** are quickly absorbed and then incorporated in the lymph : they can carry out their functions in stressed plants in a few hours, allowing a remarkable saving of energy and permitting the recovery of the optimal conditions for development. Oligonutritional complexes **MYR** have a stable structure also in alkaline environment, which prevents the formation of salts or insoluble hydroxides.



1) Nutrients arrive on leaves

2) Foliar absorption

3) Translocation of the nutrients inside the plants.

MYR RANGE is powered by LISIVEG, an exclusive production system designed by the R&D of Italpollina, based on the enzymatic hydrohysis of vegetal proteins. It allows to obtain **PEPTIDES** that, unlike individual free amino acids, have a more prominent, assured and natural biostimulant effect. LISIVEG® lies its strength in the innovative treatment technology that

biostimulant effect. LISIVEG® lies its strength in the innovative treatment technology that **preserves even the weakest components** (as Tryptophan) and maintains its activity unaltered.





MYR ZINC-MANGANESE

MYR ZINC – MANGANESE is designed to improve growth development of plants and fruit quality. It is ready to use and thanks to its high solubility and capacity of assimilation, it helps plants to quickly overcome the stress induced by nutritional imbalance.

Organic Nitrogen (N)	3 %
Manganese (Mn) water soluble	3 %
Zinc (Zn) water soluble	2 %
Organic Carbon (C)	19 %
рН (1:5)	7
Specific weight	1,31 kg/L

THE ADVANTAGES

- Prevention and treatment of Zn and Mn deficiencies
- Fast and effective action
- Greater size and color of the fruits
- Reduction of fruit drop
- It cures cold damages
- It balances vegetative growth
- Nutritional and antistress action



USE & DOSE

All dosages provided are in standard conditions, dosages and modes of application are to be determined on the basis of the requirements and the nutritional status of the crop. We recommend the application in the coolest hours of the day (morning or evening) to obtain maximum absorption by the leaves and the best eff ectiveness.

MYR range can be mixed with the most common phytosanitary products and fertilizers on the market. Before using we recommend testing on a small surface for compatibility with other products.

Liquid fertilizer for foliar application (on leaves).

Crops	Dose recomm Dosage per ha		Stage
Vegetables, kiwi	5 L	500 mL	During vegetative growth
Orchards	5 L	500 mL	Before frost event, to cover Mn Zn defi- ciency - post harvest
Soft fruits	5 L	500 mL	Before frost event, to cover Mn Zn defi- ciency
Vineyards	3 L	300 mL	From 5-6 leaves to flowering stage- 3 applications
Pineapple, bananas	5 L	500 mL	During vegetative growth before flowe- ring stage - 3 applications
Corn	3 L	1,5 L*	1 application stage 4-6 leaves

*based on 200 L/ha of spray solution





PACKA 3ING 1 - 5 - 20 L



Suitable for organic farming according to EC REG. 834/2007

ITALPOLLINA S.p.A. Località Casalmenini, 10 37010 Rivoli Veronese (VR) Italia Tel +39.045.6205511 info@italpollina.com www.italpollina.com

Follow us 🛉 🛅 in